

Takes the shape of your  
**IMAGINATION**



*clean*

**Colorbond®**  
ULTRA



For Buildings  
That **Last  
Longer**



Clean COLORBOND® ULTRA steel offer an attractive, long lasting roofing material that come with an excellent protection against severe environment. From severe coastal to severe industrial environments, Clean COLORBOND® ULTRA steel consists an AZ200 coating class or a minimum 200g/m<sup>2</sup> of aluminium/zinc coating by triple spot test. With the higher metallic coating mass and the custom formulated super polyester paint system, it is the most cost effective building material available for harsh environment.

#### **Green accreditation for the environment**

Environmental sustainability is a continuous effort and commitment from all of us. We ensure our customers receive the highest standard in both quality and efficiency with the environment's best interest at heart. There is no better way to demonstrate our commitment than receiving green accreditation from renowned independent bodies.

Our coated steel products are accredited with SIRIM Eco-Label for Coated Flat Steel Products Criteria by SIRIM QAS International, a member of the Global Ecolabelling Network (GEN); and Singapore Green Building Council, the only non-profit organisation with a concerted private-public sector partnership to achieve a world-class and sustainable built-environment in Singapore.



**TYPICAL USES**

Exterior building profiles in applications requiring excellent corrosion resistances and long term durability. Suited for moderate to severe marine and industrial environment.

**PRETREATMENT**

Corrosion resistant proprietary conversion coating.

**PRIMER COAT**

Universal corrosion inhibitive primer. Nominal thickness of 5µm each side.

**FINISH COAT**



Custom formulated super polyester paint system with inorganic pigments. Nominal film thickness 20µm on the top or weather side. The finish coat can, if required, be applied to both sides to provide a double-sided product.

**BACKING COAT**


Custom formulated Shadow Grey. Nominal film thickness 5µm.

**SPECULAR GLOSS (60°)**

25± 10 units (AS/NZS 1580.602.2)



Eternal Red Enduring White



Ever Green Ultimate Grey



Constant Blue Forever Beige

SOLAR REFLECTANCE INDEX (SRI) - ASTM E1980

Note: 1. Solar Reflectance Index (SRI) - ASTM E1980. This data is approximate values only - may vary based on paint formulation and/or metallic coating thickness  
2. SRI is calculated using ASTM E1980 and Medium Convection Coefficient (12) value reported.

Note: The Clean COLORBOND® steel colours shown in the brochure have been reproduced to represent actual product colours as accurately as possible. However, we recommend you to check your chosen colour against actual sample of the product before purchasing, as varying light conditions and limitations of the printing process affect colour tones.

For product identification and originality, please check the reverse side of the coil for the following branding text.

Clean COLORBOND (R) ULTRA steel made by BlueScope 16:18 14:JAN:08 II



NS BlueScope Malaysia Sdn. Bhd. (223136-P)

T +603 3361 6888

F +603 3361 6889

E [enquiries@bluescope.com](mailto:enquiries@bluescope.com)

W [www.bluescope.com.my](http://www.bluescope.com.my)

Customer Care: 1 300 88 6288

The information contained in this brochure is of a general nature only, and has not been prepared with your specific needs in mind. You should always obtain specialist advice to ensure that any materials, approaches and techniques referred to in this brochure meet your specific requirements.

NS BlueScope Malaysia makes no warranty as to the accuracy, completeness or reliability of any estimates, opinions or other information contained in this brochure, and to the maximum extent permitted by law, NS BlueScope Malaysia disclaims all liability and responsibility for any loss or damage, direct or indirect, which may be suffered by any person acting in reliance on anything contained in or omitted from this document.

Clean COLORBOND® is a trade mark of BlueScope Steel Limited.

BlueScope is a registered trade mark of BlueScope Steel Limited.

Copyright © 2017 NS BlueScope Malaysia Sdn. Bhd. All rights reserved. No part of this brochure may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the written permission of NS BlueScope Malaysia Sdn. Bhd.

This brochure supersedes all previous version.