

Colorbond®

BEAUTIFUL STRENGTH

COLOUR CHART



Conveys beauty that captivates and strength that protects, in iconic structures.

Beautiful design can transcend boundaries and time, gaining longevity and value. Materials that provide flexibility can realise visions and bring imaginations to life, making a long-lasting impression. That's COLORBOND® steel.

With BlueScope's heritage of manufacturing steel products and innovations that spans more than 130 years, the strength of COLORBOND® steel lie in many areas, providing aesthetic comfort and appeal ideal in many situations:

1 HIGH CORROSION RESISTANCE

Made using ZINCALUME® steel base substrate, **COLORBOND® steel is 4 times more durable and effective** against corrosion as compared to galvanized steel of similar coating thickness.

2 INSPIRING, LONG LASTING COLOURS

By utilising optimum paint formulation and pigment blends, our proprietary super polyester and PVDF paint systems **offer longer-lasting colour and gloss durability**, better delamination resistance and superior tropical stain resistance.

3 CLEAN TECHNOLOGY

Best defence against tropical staining, **Clean Technology prevents dirt from bonding onto the surface** of on COLORBOND® steel, hence maintaining its attractiveness for a longer period.

4 THERMATECH® TECHNOLOGY

Less heat, more comfort: Thermatech® Technology incorporated into COLORBOND® steel's paint system **effectively lowers peak roof temperature by up to 6°C*** compared to conventional paint of the same colour.

*Depending on level of insulation, colour, building shape and function.

5 WITHSTANDING THE TEST OF TIME

COLORBOND® steel has been subjected to extensive testing that include accelerated laboratory corrosion tests, **real-world outdoor exposure tests and actual project case studies** to ensure that it lives up to the highest expectations in durability.

6 EMBEDDED BRANDING TEXT ON THE REVERSE SIDE OF STEEL SHEETS

Embedded with branding text on the reverse side of every COLORBOND® steel sheets, this is **BlueScope's commitment to quality and our assurance** to you for product genuinity.


Offering you a vibrant selection of colours to match your most prestigious designs.



Gun Metal Grey (SRI:25)



Almond Beige (SRI:68)




African White (SRI:82)



Lazurite Blue (SRI:29)



Aquamarine (SRI:40)




Off White (SRI:80)



Mist Green (SRI:46)



Autumn Red (SRI:40)



Gull Grey (SRI:66)



Torres Blue (SRI:31)



Beige (SRI:54)



Armour Grey (SRI:48)



Caulfield Green (SRI:24)



Volcanic Grey (SRI:28)



Copperstone (SRI:31)



Cape Charcoal (SRI:20)

SRI is calculated using ASTM E 1980-01 with Medium Convection Coefficient (12) value reported. This data is approximate values only, may vary based on paint formulation and/or metallic coating thickness. The colours shown in the colour chart have been reproduced to represent actual product colours as accurately as possible. However, we recommend you to check your chosen colour against actual sample of the product before purchasing, as varying light conditions and limitations of the printing process may affect colour tones.



NS BlueScope Malaysia Sdn. Bhd. 199101012824 (223136-P)

SALES & MARKETING OFFICE

Level 11, Tower 8, UOA Business Park,
No. 1, Jalan Pengaturcara U1/51A,
Seksyen U1, 40150 Shah Alam,
Selangor, Darul Ehsan

T +603 5022 1000

F +603 5022 1001

E enquiries.malaysia@bluescope.com

W www.bluescope.com.my

MANUFACTURING PLANT

Lot 1551, Jalan Bukit Kapar, 42200 Kapar,
Selangor Darul Ehsan, Malaysia.

T +603 3361 6888

F +603 3361 6889

Customer Care: 1 300 88 6288

- BlueScope Malaysia**
- NS BlueScope Malaysia**
- NS BlueScope Malaysia**
- NS BlueScope Malaysia**



The information contained in this brochure is of a general nature only, and has not been prepared with your specific needs in mind. You should always obtain specialist advice to ensure that any materials, approaches and techniques referred to in this brochure meet your specific requirements.

NS BlueScope Malaysia makes no warranty as to the accuracy, completeness or reliability of any estimates, opinions or other information contained in this brochure, and to the maximum extent permitted by law, NS BlueScope Malaysia disclaims all liability and responsibility for any loss or damage, direct or indirect, which may be suffered by any person acting in reliance on anything contained in or omitted from this document.

COLORBOND® is a registered trade mark of BlueScope Steel Limited.

BlueScope is a registered trade mark of BlueScope Steel Limited.

Copyright © 2020 NS BlueScope Malaysia Sdn. Bhd. All rights reserved. No part of this brochure may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the written permission of NS BlueScope Malaysia Sdn. Bhd.