

Colorbond® XPD  
PEARLESCENT

BEAUTIFUL STRENGTH  
INTENSE SHIMMER





# Outstanding steel solution that brings out the true iconic features.

The lines between various architectural styles are often blurred, but with COLORBOND® XPD PEARLESCENT steel, your iconic design appears distinctively differentiated unlike any other.

COLORBOND® XPD PEARLESCENT steel radiates a soft and yet astonishing pearlescent sheer effect, giving inspiration to designers to achieve the lustre design effect desired for the cladding of your architectural designs.

## 1 HIGH CORROSION RESISTANCE

COLORBOND® XPD PEARLESCENT steel is incorporated with BlueScope's proprietary metallic coating technology – ZINCALUME® AZ150 Aluminium/Zinc alloy coated steel base substrate. It offers superior weathering performance under varied conditions.

## 2 INSPIRING, LONG LASTING COLOURS

Custom formulated 70% PVDF paint system with high-performance pigments for excellent colour performance.

## 3 CLEAN TECHNOLOGY

Best defence against tropical staining, Clean Technology prevents dirt from bonding onto the surface of COLORBOND® XPD PEARLESCENT steel, hence maintaining its attractiveness for a longer period.

## 4 THERMATECH® TECHNOLOGY

Less heat, more comfort. Thermatech® Technology incorporated into COLORBOND® XPD PEARLESCENT steel's paint system effectively lowers peak roof temperature by up to 6°C\* compared to conventional paint of the same colour.

\*Depending on level of insulation, colour, building shape and function.

## 5 WITHSTANDING THE TEST OF TIME

COLORBOND® XPD PEARLESCENT steel had gone through extensive tests which include accelerated laboratory corrosion tests, real-world outdoor exposure tests and actual project case studies to ensure its performance met the highest expectation in durability.

## 6 EMBEDDED BRANDING TEXT ON THE REVERSE SIDE OF STEEL SHEET

Embedded with branding text on the reverse side of every COLORBOND® XPD PEARLESCENT steel sheet, this is BlueScope's commitment to quality and our assurance to you for product genuinity.

# Colorbond® XPD

## PEARLESCENT

Offering you a vibrant selection of colours to match your most prestigious designs.



**Copper Penny (SRI:54)**



**Verdigris (SRI:58)**



**Aegean Green (SRI:59)**




**Azure (SRI:49)**



**Platinum Grey (SRI:53)**



**Silver Coin (SRI:58)**



SRI is calculated using ASTM E1980-01 with Medium Convection Coefficient (12) value reported.  
This data is approximate values only, may vary based on paint formulation and/or metallic coating thickness.

The colours shown in the colour chart have been reproduced to represent actual product colours as accurately as possible.  
However, we recommend you to check your chosen colour against actual sample of the product before purchasing,  
as varying light conditions and limitations of the printing process may affect colour tones.

# Colorbond® XPD

## PEARLESCENT

For product identification and originality, please check the reverse side of the sheet for the following branding text.

Clean COLORBOND (R) XPD PEARLESCENT steel made by BlueScope 16:18 01.MAY.21 11



**NS BlueScope Malaysia Sdn. Bhd.** 199101012824 (223136-P)

### SALES & MARKETING OFFICE

Level 11, Tower 8, UOA Business Park,  
No. 1, Jalan Pengaturcara U1/51A,  
Seksyen U1, 40150 Shah Alam,  
Selangor, Darul Ehsan

**T +603 5022 1000**

**F +603 5022 1001**

**E [enquiries.malaysia@bluescope.com](mailto:enquiries.malaysia@bluescope.com)**

**W [www.nsbluescope.com/my](http://www.nsbluescope.com/my)**

### MANUFACTURING PLANT

Lot 1551, Jalan Bukit Kapar, 42200 Kapar,  
Selangor Darul Ehsan, Malaysia.

**T +603 3361 6888**

**F +603 3361 6889**

**Customer Care: 1 300 88 6288**

Find us on **NS BlueScope Malaysia**



The information contained in this brochure is of a general nature only, and has not been prepared with your specific needs in mind. You should always obtain specialist advice to ensure that any materials, approaches and techniques referred to in this brochure meet your specific requirements.

NS BlueScope Malaysia makes no warranty as to the accuracy, completeness or reliability of any estimates, opinions or other information contained in this brochure, and to the maximum extent permitted by law, NS BlueScope Malaysia disclaims all liability and responsibility for any loss or damage, direct or indirect, which may be suffered by any person acting in reliance on anything contained in or omitted from this document.

COLORBOND® is a trade mark of BlueScope Steel Limited.

BlueScope is a registered trade mark of BlueScope Steel Limited.

Copyright © 2021 NS BlueScope Malaysia Sdn. Bhd. All rights reserved. No part of this brochure may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the written permission of NS BlueScope Malaysia Sdn. Bhd.