

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM

**SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to**

**NS BLUESCOPE MALAYSIA SDN. BHD.
LOT 1551, JALAN BUKIT KAPAR
42200 KAPAR
SELANGOR, MALAYSIA**

**Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on**

**PREFINISHED SHEET METAL PRODUCT FOR INTERIOR/EXTERIOR BUILDING
APPLICATION**

Please refer to detail in the SCHEDULE

**sebagai mematuhi keperluan
as complying with**

MS 2383 : 2011



Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

NS BLUESCOPE MALAYSIA SDN. BHD.



| | |
|------------|--|
| Trade Mark | : CLEAN COLORBOND® |
| Model | : BASE COATED METAL : HOT DIP ALUMINIUM/ZINC-COATED STEEL CERTIFIED TO MS 1196 (LICENCE NO. = PC000316) |
| Rating | : COATING DESIGNATION = AZ150 |
| Type | : PRODUCT CATEGORY = C3; GLOSS CATEGORY = TYPE 2 |
| Size | : NOMINAL PRIMER THICKNESS (µm) = 5; NOMINAL TOPCOAT THICKNESS (µm) = 20; NOMINAL BACKCOAT THICKNESS (µm) = 5; NOMINAL THICKNESS (mm) = 0.20-0.90; WIDTH (mm) = 610-1219 |
| Model | : BASE COATED METAL : HOT DIP ALUMINIUM/ZINC-COATED STEEL CERTIFIED TO MS 1196 (LICENCE NO. = PC000316) |
| Rating | : COATING DESIGNATION = AZ200 |
| Type | : PRODUCT CATEGORY = C4; GLOSS CATEGORY = TYPE 1, TYPE 2 |
| Size | : NOMINAL PRIMER THICKNESS (µm) = 5; NOMINAL TOPCOAT THICKNESS (µm) = 20; NOMINAL BACKCOAT THICKNESS (µm) = 5; NOMINAL THICKNESS (mm) = 0.20-0.90; WIDTH (mm) = 610-1219 |
| Trade Mark | : CAPERO®; VERMOE™ |
| Model | : BASE COATED METAL : HOT DIP ALUMINIUM/ZINC-COATED STEEL CERTIFIED TO MS 1196 (LICENCE NO. = PC000316) |
| Rating | : COATING DESIGNATION = AZ150 |
| Type | : PRODUCT CATEGORY = C3; GLOSS CATEGORY = TYPE 1 |
| Size | : NOMINAL PRIMER THICKNESS (µm) = 3; NOMINAL TOPCOAT THICKNESS (µm) = 14; NOMINAL BACKCOAT THICKNESS (µm) = 5; NOMINAL THICKNESS (mm) = 0.20-0.90; WIDTH (mm) = 610-1219 |
| Trade Mark | : ELEMENTS® |
| Model | : BASE COATED METAL : HOT DIP ALUMINIUM/ZINC-COATED STEEL CERTIFIED TO MS 1196 (LICENCE NO. = PC000316) |
| Rating | : COATING DESIGNATION = AZ100 |
| Type | : PRODUCT CATEGORY = C3; GLOSS CATEGORY = TYPE 1 |
| Size | : NOMINAL TOPCOAT THICKNESS (µm) = 25; NOMINAL BACKCOAT THICKNESS (µm) = 5; NOMINAL THICKNESS (mm) = 0.20-0.90; WIDTH (mm) = 610-1219 |

SCHEDULE

NS BLUESCOPE MALAYSIA SDN. BHD.



Trade Mark : PRIMAMAJU-R®
Model : BASE COATED METAL : HOT DIP ALUMINIUM/ZINC-COATED STEEL CERTIFIED TO MS 1196 (LICENCE NO. = PC000316)
Rating : COATING DESIGNATION = AZ100
Type : PRODUCT CATEGORY = C3; GLOSS CATEGORY = TYPE 2
Size : NOMINAL PRIMER THICKNESS (μm) = 3; NOMINAL TOPCOAT THICKNESS (μm) = 14; NOMINAL BACKCOAT THICKNESS (μm) = 5; NOMINAL THICKNESS (mm) = 0.20-0.90; WIDTH (mm) = 610-1219

Trade Mark : BLUESCOPE ZACS
Model : BASE COATED METAL : HOT DIP ALUMINIUM/ZINC-COATED STEEL CERTIFIED TO MS 1196 (LICENCE NO. = PC000316)
Rating : COATING DESIGNATION = AZ90
Type : PRODUCT CATEGORY = C2; GLOSS CATEGORY = TYPE 2
Size : NOMINAL TOPCOAT THICKNESS (μm) = 12; NOMINAL BACKCOAT THICKNESS (μm) = 5; NOMINAL THICKNESS (mm) = 0.20-0.90; WIDTH (mm) = 610-1219

Trade Mark : LUMBA®
Model : BASE COATED METAL : HOT DIP ALUMINIUM/ZINC-COATED STEEL CERTIFIED TO MS 1196 (LICENCE NO. = PC000316)
Rating : COATING DESIGNATION = AZ70
Type : PRODUCT CATEGORY = C2; GLOSS CATEGORY = TYPE 2
Size : NOMINAL TOPCOAT THICKNESS (μm) = 10; NOMINAL BACKCOAT THICKNESS (μm) = 5; NOMINAL THICKNESS (mm) = 0.23-0.30; MAXIMUM WIDTH (mm) = 1219

End of page
